

ABSTRACT
COMPARISON OF STATE BASED SCHOOL OF ASSOCIATION AND
PRIVATE VOCATIONAL SCHOOL OF DESIGN, IN BATUAN SUB-
DISTRICT LESSON YEAR 2018 - 2019

CHANDRA SAPTA AJI

Keywords: Comparison, facilities and infrastructure, penjasorkes

From the results of the observation of the conditions of sports facilities and infrastructure in several public elementary schools in Batuan Sub-District, Sumenep District there are still many who do not meet national standards, especially the primary schools in Batuan District, which are in the interior of the villages around Batuan District. The results of preliminary observations carried out in 2 schools in Batuan Subdistrict, showed that there were some facilities and infrastructure in the school that were still not feasible, some of which were not suitable for use anymore. The facilities and infrastructure of Penjasorkes in the State Elementary Schools in Batuan Sub-District still exist that do not meet national standards and all schools are observed - each of them has physical facilities and infrastructure that are still not feasible to use anymore. In accordance with the formulation of the problem above, the purpose of this study is to find out the condition of Penjasorkes facilities for Public Elementary Schools in Batuan District, Academic Year 2018 - 2019.

This study uses a qualitative descriptive approach, in which descriptive research in relation to data collection to provide an illustration or affirmation of a concept or symptom, also answers questions related to a research subject at this time, for example attitudes or opinions towards individuals, organizations, and so. The data analysis technique in this paper uses PDPJOI Instruments with PDPJOI 2011 guideline. The population and sample of this research are physical education facilities and infrastructure in SDan Subdistrict, Batuan, Sumenep Regency with 7 schools namely SD Negeri Batuan I, Batuan Public Elementary School, Torbang II Elementary School. , SD Gunggung Elementary School, SD Negeri Torbang III, SD Negeri Patean II, and SD Negeri Babbalan.

Based on the results of the research obtained, it can be concluded that the condition of Penjasorkes facilities and infrastructures in State Primary Schools in Batuan Subdistrict in terms of the availability of facilities and infrastructure for Physical and Sports Education are categorized as 110 with the knowledge of the research have the availability of facilities and infrastructure that are inadequate in order to complete the facilities and infrastructure in accordance with Permendiknas No. 24 of 2007 to support the optimal learning process. For the next researcher, it is hoped that the research should not only be carried out in SDN in Batuan Sub-District, but also in Private Elementary Schools in Batuan District, so that it can be compared to the level of progress of Penjasor in Public and Private Elementary Schools.